
Gi Pipe For Greenhouse Steel Pipe



Product	Hot Dip Galvanized Steel Pipe
Material	Carbon Steel
Grade	Q195 = S195 / A53 Grade A Q235 = S235 / A53 Grade B / A500 Grade A / STK400 / SS400 / ST42.2 Q345 = S355JR / A500 Grade B Grade C
Standard	EN39, BS1139, BS1387, EN10255, ASTM A53, ASTM A500, A36, ASTM A795, ISO65, ANSI C80, DIN2440, JIS G3444, GB/T3091, GB/T13793
Surface	Zinc coating 200-500g/m ² (30-70um)
Ends	Plain ends with or without caps

Outside Diameter			Wall Thickness
DN	Inch	mm	mm
15	1/2"	20~21.3	0.95~2.77
20	3/4"	25~26.9	1.1~2.87
25	1"	32~33.7	1.1~4.0
32	1 1/4"	40~42.4	1.1~4.0
40	1 1/2"	47~48.3	1.5~7.0
50	2"	58~60.3	1.8~7.0
65	2 1/2"	73~76.1	2.0~7.0
80	3"	87~88.9	2.2~8.0
90	3 1/2"	101.6~102.1	2.2~9.0
100	4"	113~114.3	2.2~9.0
125	5"	140~141.3	2.5~10.0
150	6"	165~168.3	2.5~10.0
200	8"	216~219.1	2.75~12.0
250	10"	272.8~273.2	5.0~13.75
300	12"	323.8~325	5.5~13.75
350	14"	355.6~356	5.5~13.75
400	16"	406~406.4	5.75~13.75
450	18"	457~457.2	5.75~17.75
500	20"	507.9~508.1	5.75~17.75
600	24"	609~610	5.75~17.75

Strict Quality Control:

- 1) During and after production, 4 QC staffs with more than 5 years experience inspect products in random.
- 2) National accredited laboratory with CNAS certificates
- 3) Acceptable inspection from third party appointed/paid by buyer, such as SGS, BV.
- 4) Approved by Malaysia, Indonesia, Singapore, Philippines, Australia, Peru and UK. We own UL /FM, ISO9001/18001, FPC certificates.

[learn more about certificates](#)



Packing and Delivery:

Packing Details : in hexagonal seaworthy bundles packed by steel strips, With two nylon slings for each bundles.

Delivery Details : Depending on the QTY, normally one month.





Product link : <https://www.chinayoufa.com/gi-pipe-for-greenhouse-steel-pipe.html>